

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report



This confidential report was prepared for:

Name: Administrator

Business: AA | TEST production

Address: 125 Almond Way, Modesto, CA 95356

Phone: (123) 456-7890

Email: admin@jvfconsulting.com

Assessment Year: 2023

Follow these steps to apply for Bee Friendly Farming certification through Pollinator Partnership.

Step 1. Generate and save this PDF report from CASP.

Step 2. Open the [BFF Application](#) and follow the steps.

The online application is managed by Pollinator Partnership and requires completion of the following sections:

- Create an Account**
- About Your Farm**
- Bee Forage and Habitat**
- Confirmation & Payment**

START A NEW APPLICATION

OR CONTINUE AN EXISTING APPLICATION

CREATE AN ACCOUNT TO BEGIN

- Create an account:

Name, Email, and Password.

- About Your Farm:

Farm name, Phone number, Set Primary Production to **Almonds, Total Farm and cropped acreage, physical address, and mailing addresses**. Under Existing Certifications, choose California Almond Stewardship Platform and browse to upload this PDF.

- Bee Forage and Habitat

Upload Pictures: Bee Forage, Water Source, Nesting Habitat.

Enter Acreage: Permanent and Total Habitat.

Upload Farm map: Upload a farm map file (PNG, PDF, shapefiles, KML/KMZ, etc.) that shows a clearly defined property line of the area being certified and draw and label each ecological infrastructure (temporary floral resources, permanent floral resources nesting habitat, water sources). Include acre counts for each delineated area. If you use the [CASP Map Center](#), you can use that to print a PDF.

Existing Certifications

Recent audit information from other qualifying certifications your farm holds can be submitted in place of the rest of this form. Qualifying certifications are listed in the dropdown box above. If you hold a certification that is not listed above, please contact isaac@pollinator.org for assistance.

California Almond Stewardship Platform

Existing Audit Files *

Files uploaded should not exceed 5mb all together.

Browse... No files selected.

Next Save for later

25%

- Confirmation and Payment

How you heard about BFF
 Check the Confirmations
 Optionally enter an Invoice or Coupon Codes
 Set invoicing preference.

Submit the Application

Bee Friendly Farming Certification has five requirements:

1. Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.
2. Provide bloom of different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.
3. If not inhibited by government mandated water restrictions, offer clean water for bees.
4. Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.
5. Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Full confidentiality is maintained for all information provided and generated this report. Individual assessment results have not been shared with other individuals or organizations.

Go to <https://www.pollinator.org/bff/bff-us> to find out more about Pollinator Partnership.

This report shows your eligibility for Bee Friendly Farming based on CASP, however, Pollinator Partnership makes a final determination after the application is evaluated.

Summary

Location	Acres	Eligibility Status	BFF 1	BFF 2	BFF 3	BFF 4	BFF 5
AAA # magic orchard	200	Incomplete	Yes	Yes	Yes	Yes	Yes
AAAA ddd orchard	12	Incomplete	Yes	Yes	Yes	Yes	Yes
AAAdd orchard	2	Incomplete	No Score	No Score	No Score	No Score	No Score
AAdd orchard	2	Incomplete	No Score	No Score	No Score	No Score	No Score
AAdddd another	2	Incomplete	No Score	No Score	No Score	No Score	No Score
Block 1	10	Incomplete	No Score	No Score	No Score	No Score	No Score
Block 2	25	Incomplete	No Score	No Score	No Score	No Score	No Score
even newer magic orchard	1	Review/Submit	Yes	Yes	Yes	Yes	Yes
new magic orchard	2	Incomplete	No Score	No Score	No Score	No Score	No Score

newer magic orchard	2	Incomplete	No Score	No Score	No Score	No Score	No Score
newest Magic orchard	1	Incomplete	No Score	No Score	No Score	No Score	No Score
Orchard 3	123	Incomplete	No Score	No Score	No Score	No Score	No Score
Sum of Eligible Acres	0						

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAA # magic orchard (200 Acres Colusa County) details part 1

Assessment Year: **2023** Status: **Incomplete**

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

Evaluation: Yes

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	Yes
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	Yes
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	Yes
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	No Answer
NS-29. Was the ground cover purposely planted?	No Answer
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

AAA # magic orchard (200 Acres Colusa County) details part 2

Assessment Year: 2023 **Status:** Incomplete

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

Evaluation: Yes

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees.

Evaluation: Yes

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	Yes
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	Yes

Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.

Evaluation: Yes

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAA # magic orchard (200 Acres Colusa County) details part 3

Assessment Year: **2023** Status: **Incomplete**

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Evaluation: Yes

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals).

Criteria 5a: Monitoring/Identification

Evaluation: Yes

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	Yes
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	Yes
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAA # magic orchard (200 Acres Colusa County) details part 4

Assessment Year: **2023** Status: **Incomplete**

Criteria 5b: Decision Making

Evaluation: Yes

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	Yes
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	No
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	No
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	No
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	No Answer
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	No
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	No Answer
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	No
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	Yes
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

AAA # magic orchard (200 Acres Colusa County) details part 5

Assessment Year: 2023 **Status:** Incomplete

Criteria 5c: Prevention

Evaluation: Yes

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	Yes
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	Yes
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	No
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	Yes
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAA # magic orchard (200 Acres Colusa County) details part 6

Assessment Year: **2023** Status: **Incomplete**

Criteria 5d: Intervention

Evaluation: Yes

If five or more questions listed are answered 'Yes' (excluding BP-04) then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-16 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	Yes
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	Yes
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	No
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	Yes
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	Not applicable
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	Yes
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	Yes
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAA # magic orchard (200 Acres Colusa County) details part 7

Assessment Year: **2023** Status: **Incomplete**

Criteria 5e: IPM Evaluation

Evaluation: Yes

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	No
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	No Answer
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	Yes
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	No

Criteria 5f: Resistance Management

Evaluation: Yes

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	Yes
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	Yes
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAA ddd orchard (12 Acres Lassen County) details part 1

Assessment Year: **2023** Status: **Incomplete**

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

Evaluation: Yes

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	Yes
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	Yes
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	Yes
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	Yes
NS-29. Was the ground cover purposely planted?	Yes
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

AAAA ddd orchard (12 Acres Lassen County) details part 2

Assessment Year: 2023 **Status:** Incomplete

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

Evaluation: Yes

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees.

Evaluation: Yes

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	Yes
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	Not applicable

Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.

Evaluation: Yes

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

AAAA ddd orchard (12 Acres Lassen County) details part 3

Assessment Year: 2023 **Status:** Incomplete

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Evaluation: Yes

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals).

Criteria 5a: Monitoring/Identification

Evaluation: Yes

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	Yes
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	Yes
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	Yes
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAA ddd orchard (12 Acres Lassen County) details part 4

Assessment Year: **2023** Status: **Incomplete**

Criteria 5b: Decision Making

Evaluation: Yes

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	No
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	No
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	No
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	No
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	No Answer
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	No
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	No Answer
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	Yes
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	Yes
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	Yes
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAA ddd orchard (12 Acres Lassen County) details part 5

Assessment Year: **2023** Status: **Incomplete**

Criteria 5c: Prevention

Evaluation: Yes

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	Not applicable
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	Not applicable
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	Not applicable
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	Yes
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAA ddd orchard (12 Acres Lassen County) details part 6

Assessment Year: **2023** Status: **Incomplete**

Criteria 5d: Intervention

Evaluation: Yes

If five or more questions listed are answered 'Yes' (excluding BP-04) then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-16 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	Not applicable
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	Yes
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	Yes
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	Not applicable
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	Not applicable
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	Yes
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	Yes
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAA ddd orchard (12 Acres Lassen County) details part 7

Assessment Year: **2023** Status: **Incomplete**

Criteria 5e: IPM Evaluation

Evaluation: Yes

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	Yes
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	No
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	No Answer
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	Yes
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	No

Criteria 5f: Resistance Management

Evaluation: Yes

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	Yes
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	Yes
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

AAAdd orchard (2 Acres Amador County) details part 1

Assessment Year: 2023 **Status:** Incomplete

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

Evaluation: No Score

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Not applicable
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	No Answer
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	No Answer
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	No Answer
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	No Answer
NS-29. Was the ground cover purposely planted?	No Answer
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

AAAdd orchard (2 Acres Amador County) details part 2

Assessment Year: 2023 **Status:** Incomplete

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Not applicable
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees.

Evaluation: No Score

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	No Answer
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	No Answer

Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Not applicable
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAdd orchard (2 Acres Amador County) details part 3

Assessment Year: **2023** Status: **Incomplete**

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Evaluation: No Score

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals).

Criteria 5a: Monitoring/Identification

Evaluation: No Score

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	Yes
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	No
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	No
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAdd orchard (2 Acres Amador County) details part 4

Assessment Year: **2023** Status: **Incomplete**

Criteria 5b: Decision Making

Evaluation: No Score

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	No Answer
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	No Answer
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	No Answer
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	No Answer
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	No Answer
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	No Answer
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAdd orchard (2 Acres Amador County) details part 5

Assessment Year: **2023** Status: **Incomplete**

Criteria 5c: Prevention

Evaluation: No Score

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	No Answer
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	No Answer
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	No Answer
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	No Answer
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAdd orchard (2 Acres Amador County) details part 6

Assessment Year: **2023** Status: **Incomplete**

Criteria 5d: Intervention

Evaluation: No Score

If five or more questions listed are answered 'Yes' (excluding BP-04) then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-16 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	No Answer
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	No Answer
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	No Answer
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	No Answer
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	No Answer
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	No Answer
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	No Answer
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAdd orchard (2 Acres Amador County) details part 7

Assessment Year: **2023** Status: **Incomplete**

Criteria 5e: IPM Evaluation

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	Yes
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	No Answer
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	No Answer
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	Yes
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	No Answer

Criteria 5f: Resistance Management

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	No Answer
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	No Answer
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAdd orchard (2 Acres Del Norte County) details part 1

Assessment Year: **2023** Status: **Incomplete**

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

Evaluation: No Score

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Not applicable
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Not applicable
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	No Answer
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	No Answer
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	No Answer
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	No Answer
NS-29. Was the ground cover purposely planted?	No Answer
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

AAdd orchard (2 Acres Del Norte County) details part 2

Assessment Year: 2023 **Status:** Incomplete

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Not applicable
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Not applicable

Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees.

Evaluation: No Score

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	No
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	No

Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Not applicable
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Not applicable

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

AAdd orchard (2 Acres Del Norte County) details part 3

Assessment Year: 2023 **Status:** Incomplete

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Evaluation: No Score

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals).

Criteria 5a: Monitoring/Identification

Evaluation: No Score

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	No
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	Yes
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAdd orchard (2 Acres Del Norte County) details part 4

Assessment Year: **2023** Status: **Incomplete**

Criteria 5b: Decision Making

Evaluation: No Score

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	No Answer
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	No Answer
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	No Answer
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	No Answer
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	No Answer
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	No Answer
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAdd orchard (2 Acres Del Norte County) details part 5

Assessment Year: **2023** Status: **Incomplete**

Criteria 5c: Prevention

Evaluation: No Score

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	No Answer
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	No Answer
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	No Answer
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	No Answer
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

AAdd orchard (2 Acres Del Norte County) details part 6

Assessment Year: 2023 **Status:** Incomplete

Criteria 5d: Intervention

Evaluation: No Score

If five or more questions listed are answered 'Yes' (excluding BP-04) then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-16 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	No Answer
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	No Answer
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	No Answer
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	No Answer
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	No Answer
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	No Answer
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	No Answer
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAdd orchard (2 Acres Del Norte County) details part 7

Assessment Year: **2023** Status: **Incomplete**

Criteria 5e: IPM Evaluation

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	No Answer
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	Yes
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	No Answer
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	No Answer

Criteria 5f: Resistance Management

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	No Answer
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	No Answer
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAddd another (2 Acres Amador County) details part 1

Assessment Year: **2023** Status: **Incomplete**

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

Evaluation: No Score

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Not applicable
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	No
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	No Answer
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	No Answer
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	No Answer
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	No Answer
NS-29. Was the ground cover purposely planted?	No Answer
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

AAAddd another (2 Acres Amador County) details part 2

Assessment Year: 2023 **Status:** Incomplete

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Not applicable
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	No

Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees.

Evaluation: No Score

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	No Answer
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	No Answer

Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Not applicable
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

AAAddd another (2 Acres Amador County) details part 3

Assessment Year: 2023 **Status:** Incomplete

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Evaluation: No Score

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals).

Criteria 5a: Monitoring/Identification

Evaluation: No Score

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	No
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	No
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAddd another (2 Acres Amador County) details part 4

Assessment Year: **2023** Status: **Incomplete**

Criteria 5b: Decision Making

Evaluation: No Score

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	No Answer
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	No Answer
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	No Answer
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	No Answer
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	No Answer
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	No Answer
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

AAAddd another (2 Acres Amador County) details part 5

Assessment Year: 2023 **Status:** Incomplete

Criteria 5c: Prevention

Evaluation: No Score

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	No Answer
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	No Answer
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	No Answer
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	No Answer
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAAddd another (2 Acres Amador County) details part 6

Assessment Year: **2023** Status: **Incomplete**

Criteria 5d: Intervention

Evaluation: No Score

If five or more questions listed are answered 'Yes' (excluding BP-04) then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-16 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	Yes
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	Yes
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	Yes
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	No Answer
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	Not applicable
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	Not applicable
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	Not applicable
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

AAddd another (2 Acres Amador County) details part 7

Assessment Year: **2023** Status: **Incomplete**

Criteria 5e: IPM Evaluation

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	No Answer
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	No Answer
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	No Answer
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	Yes

Criteria 5f: Resistance Management

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	No Answer
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	No Answer
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

Block 1 (10 Acres Madera County) details part 1

Assessment Year: 2023 **Status:** Incomplete

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

Evaluation: No Score

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Not applicable
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Not applicable
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	No Answer
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	No Answer
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	Yes
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	No Answer
NS-29. Was the ground cover purposely planted?	No Answer
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

Block 1 (10 Acres Madera County) details part 2

Assessment Year: **2023** Status: **Incomplete**

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Not applicable
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Not applicable

Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees.

Evaluation: No Score

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	Yes
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	Not applicable

Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Not applicable
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Not applicable

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

Block 1 (10 Acres Madera County) details part 3

Assessment Year: 2023 **Status:** Incomplete

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Evaluation: No Score

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals).

Criteria 5a: Monitoring/Identification

Evaluation: No Score

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	Yes
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	No Answer
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

Block 1 (10 Acres Madera County) details part 4

Assessment Year: **2023** Status: **Incomplete**

Criteria 5b: Decision Making

Evaluation: No Score

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	No
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	No
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	No Answer
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	No
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	No Answer
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	No
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

Block 1 (10 Acres Madera County) details part 5

Assessment Year: **2023** Status: **Incomplete**

Criteria 5c: Prevention

Evaluation: No Score

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	Yes
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	Yes
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	No Answer
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	No Answer
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

Block 1 (10 Acres Madera County) details part 6

Assessment Year: **2023** Status: **Incomplete**

Criteria 5d: Intervention

Evaluation: No Score

If five or more questions listed are answered 'Yes' (excluding BP-04) then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-16 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	Not applicable
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	Not applicable
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	Yes
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	Not applicable
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	Not applicable
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	Not applicable
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	Not applicable
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	Not applicable

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

Block 1 (10 Acres Madera County) details part 7

Assessment Year: **2023** Status: **Incomplete**

Criteria 5e: IPM Evaluation

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	Yes
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	No Answer
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	Yes
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	No Answer
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	No Answer

Criteria 5f: Resistance Management

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	Not applicable
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	Not applicable
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

Block 2 (25 Acres Butte County) details part 1

Assessment Year: **2023** Status: **Incomplete**

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

Evaluation: No Score

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	No Answer
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	No Answer
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	No Answer
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	No Answer
NS-29. Was the ground cover purposely planted?	No Answer
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

Block 2 (25 Acres Butte County) details part 2

Assessment Year: 2023 **Status:** Incomplete

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees.

Evaluation: No Score

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	No
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	Not applicable

Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

Block 2 (25 Acres Butte County) details part 3

Assessment Year: 2023 **Status:** Incomplete

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Evaluation: No Score

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals).

Criteria 5a: Monitoring/Identification

Evaluation: No Score

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No Answer
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	Yes
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

Block 2 (25 Acres Butte County) details part 4

Assessment Year: **2023** Status: **Incomplete**

Criteria 5b: Decision Making

Evaluation: No Score

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	Yes
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	Yes
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	No Answer
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	No Answer
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	No Answer
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	No Answer
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	No Answer
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No Answer
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

Block 2 (25 Acres Butte County) details part 5

Assessment Year: **2023** Status: **Incomplete**

Criteria 5c: Prevention

Evaluation: No Score

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	No Answer
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	No Answer
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	Yes
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	Yes
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

Block 2 (25 Acres Butte County) details part 6

Assessment Year: **2023** Status: **Incomplete**

Criteria 5d: Intervention

Evaluation: No Score

If five or more questions listed are answered 'Yes' (excluding BP-04) then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-16 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	No Answer
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	Yes
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	Yes
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	No Answer
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	Yes
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	Yes
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	Yes
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

Block 2 (25 Acres Butte County) details part 7

Assessment Year: 2023 **Status:** Incomplete

Criteria 5e: IPM Evaluation

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No Answer
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	No Answer
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	Yes
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	No Answer
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	No Answer

Criteria 5f: Resistance Management

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	No
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	No
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production even newer magic orchard (1 Acres Del Norte County)** details part 1

Assessment Year: **2023** Status: **Review/Submit**

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

Evaluation: Yes

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	Yes
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	Yes
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	Yes
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	Yes
NS-29. Was the ground cover purposely planted?	Yes
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production
even newer magic orchard (1 Acres Del Norte County) details part 2

Assessment Year: 2023 **Status:** Review/Submit

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

Evaluation: Yes

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees.

Evaluation: Yes

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	Yes
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	Not applicable

Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.

Evaluation: Yes

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production
even newer magic orchard (1 Acres Del Norte County) details part 3

Assessment Year: 2023 **Status:** Review/Submit

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Evaluation: Yes

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals).

Criteria 5a: Monitoring/Identification

Evaluation: Yes

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	Yes
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	Yes
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production even newer magic orchard (1 Acres Del Norte County)** details part 4

Assessment Year: **2023** Status: **Review/Submit**

Criteria 5b: Decision Making

Evaluation: Yes

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	Yes
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	No
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	No
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	No
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	No Answer
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	No
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	No Answer
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	No
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	Yes
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production even newer magic orchard (1 Acres Del Norte County)** details part 5

Assessment Year: **2023** Status: **Review/Submit**

Criteria 5c: Prevention

Evaluation: Yes

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	Yes
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	Yes
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	No
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	Yes
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production even newer magic orchard (1 Acres Del Norte County)** details part 6

Assessment Year: **2023** Status: **Review/Submit**

Criteria 5d: Intervention

Evaluation: Yes

If five or more questions listed are answered 'Yes' (excluding BP-04) then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-16 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	Yes
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	Yes
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	Yes
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	Yes
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	Not applicable
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	Yes
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	Yes
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production even newer magic orchard (1 Acres Del Norte County)** details part 7

Assessment Year: **2023** Status: **Review/Submit**

Criteria 5e: IPM Evaluation

Evaluation: Yes

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	No
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	No Answer
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	Yes
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	No

Criteria 5f: Resistance Management

Evaluation: Yes

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	Yes
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	Yes
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

new magic orchard (2 Acres Alpine County) details part 1

Assessment Year: **2023** Status: **Incomplete**

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

Evaluation: No Score

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	No
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	No Answer
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	No Answer
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	No
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	No Answer
NS-29. Was the ground cover purposely planted?	No Answer
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

new magic orchard (2 Acres Alpine County) details part 2

Assessment Year: 2023 **Status:** Incomplete

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	No

Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees.

Evaluation: No Score

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	No Answer
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	Yes

Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	Yes
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

new magic orchard (2 Acres Alpine County) details part 3

Assessment Year: 2023 **Status:** Incomplete

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Evaluation: No Score

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals).

Criteria 5a: Monitoring/Identification

Evaluation: No Score

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No Answer
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	No Answer
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**
new magic orchard (2 Acres Alpine County) details part 4

Assessment Year: **2023** Status: **Incomplete**

Criteria 5b: Decision Making

Evaluation: No Score

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	No Answer
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	No Answer
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	No Answer
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	Yes
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	Yes
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	No Answer
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	Yes
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

new magic orchard (2 Acres Alpine County) details part 5

Assessment Year: 2023 **Status:** Incomplete

Criteria 5c: Prevention

Evaluation: No Score

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	Yes
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	No
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	No
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	No
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production
new magic orchard (2 Acres Alpine County)** details part 6

Assessment Year: **2023** Status: **Incomplete**

Criteria 5d: Intervention

Evaluation: No Score

If five or more questions listed are answered 'Yes' (excluding BP-04) then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-16 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	Yes
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	Yes
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	No Answer
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	No Answer
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	No Answer
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	Yes
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	Yes
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**
new magic orchard (2 Acres Alpine County) details part 7

Assessment Year: **2023** Status: **Incomplete**

Criteria 5e: IPM Evaluation

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No Answer
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	No
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	No
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	No
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	No Answer

Criteria 5f: Resistance Management

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	No
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	Not applicable
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

newer magic orchard (2 Acres Butte County) details part 1

Assessment Year: **2023** Status: **Incomplete**

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

Evaluation: No Score

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	No
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	No Answer
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	No Answer
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	Yes
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	No Answer
NS-29. Was the ground cover purposely planted?	No Answer
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

newer magic orchard (2 Acres Butte County) details part 2

Assessment Year: 2023 **Status:** Incomplete

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	No
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees.

Evaluation: No Score

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	Yes
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	No Answer

Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	No
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

newer magic orchard (2 Acres Butte County) details part 3

Assessment Year: 2023 **Status:** Incomplete

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Evaluation: No Score

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals).

Criteria 5a: Monitoring/Identification

Evaluation: No Score

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	No
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	No
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

newer magic orchard (2 Acres Butte County) details part 4

Assessment Year: **2023** Status: **Incomplete**

Criteria 5b: Decision Making

Evaluation: No Score

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	No Answer
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	No Answer
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	No Answer
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	No Answer
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	No Answer
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	Yes
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	Yes
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	Yes
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

newer magic orchard (2 Acres Butte County) details part 5

Assessment Year: 2023 **Status:** Incomplete

Criteria 5c: Prevention

Evaluation: No Score

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	Not applicable
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	Not applicable
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	Not applicable
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	Not applicable
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Not applicable

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

newer magic orchard (2 Acres Butte County) details part 6

Assessment Year: **2023** Status: **Incomplete**

Criteria 5d: Intervention

Evaluation: No Score

If five or more questions listed are answered 'Yes' (excluding BP-04) then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-16 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	Yes
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	Yes
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	Yes
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	No Answer
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	No Answer
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	No Answer
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	Yes
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

newer magic orchard (2 Acres Butte County) details part 7

Assessment Year: 2023 **Status:** Incomplete

Criteria 5e: IPM Evaluation

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	No Answer
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	No Answer
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	No Answer
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	No Answer

Criteria 5f: Resistance Management

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	Yes
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	No Answer
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Not applicable

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

newest Magic orchard (1 Acres Alameda County) details part 1

Assessment Year: 2023 **Status:** Incomplete

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

Evaluation: No Score

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	No
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	No
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	No
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	No
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	No
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	No
NS-29. Was the ground cover purposely planted?	No
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

newest Magic orchard (1 Acres Alameda County) details part 2

Assessment Year: 2023 **Status:** Incomplete

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	No
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	No

Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees.

Evaluation: No Score

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	Yes
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	Yes

Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	No
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

newest Magic orchard (1 Acres Alameda County) details part 3

Assessment Year: 2023 **Status:** Incomplete

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Evaluation: No Score

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals).

Criteria 5a: Monitoring/Identification

Evaluation: No Score

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	Yes
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	No
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

newest Magic orchard (1 Acres Alameda County) details part 4

Assessment Year: **2023** Status: **Incomplete**

Criteria 5b: Decision Making

Evaluation: No Score

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	No Answer
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	No Answer
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	No Answer
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	No Answer
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	No Answer
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	No Answer
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

newest Magic orchard (1 Acres Alameda County) details part 5

Assessment Year: 2023 **Status:** Incomplete

Criteria 5c: Prevention

Evaluation: No Score

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	No Answer
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	No Answer
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	No Answer
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	No Answer
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

newest Magic orchard (1 Acres Alameda County) details part 6

Assessment Year: 2023 **Status:** Incomplete

Criteria 5d: Intervention

Evaluation: No Score

If five or more questions listed are answered 'Yes' (excluding BP-04) then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-16 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	Yes
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	Yes
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	Yes
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	Yes
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	No Answer
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	No Answer
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	No Answer
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

newest Magic orchard (1 Acres Alameda County) details part 7

Assessment Year: 2023 **Status:** Incomplete

Criteria 5e: IPM Evaluation

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	Yes
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	No Answer
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	No Answer
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	No Answer

Criteria 5f: Resistance Management

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	No Answer
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	Yes
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

Orchard 3 (123 Acres Sacramento County) details part 1

Assessment Year: 2023 **Status:** Incomplete

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

Evaluation: No Score

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	No
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	No
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	No Answer
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	No Answer
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	No
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	No Answer
NS-29. Was the ground cover purposely planted?	No Answer
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

Orchard 3 (123 Acres Sacramento County) details part 2

Assessment Year: 2023 **Status:** Incomplete

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	No
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	No

Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees.

Evaluation: No Score

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	No
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	Yes

Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.

Evaluation: No Score

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	No
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	No

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

Orchard 3 (123 Acres Sacramento County) details part 3

Assessment Year: 2023 **Status:** Incomplete

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Evaluation: No Score

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals).

Criteria 5a: Monitoring/Identification

Evaluation: No Score

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No Answer
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	No Answer
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	Yes
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

Orchard 3 (123 Acres Sacramento County) details part 4

Assessment Year: **2023** Status: **Incomplete**

Criteria 5b: Decision Making

Evaluation: No Score

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	No Answer
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	No Answer
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	Yes
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	Yes
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	No Answer
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	No Answer
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	No Answer
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	No Answer
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	No Answer

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

Orchard 3 (123 Acres Sacramento County) details part 5

Assessment Year: 2023 **Status:** Incomplete

Criteria 5c: Prevention

Evaluation: No Score

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	No
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	No
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	No
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	No
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: AA | TEST production **Business Unit Name:** AAATEST production

Orchard 3 (123 Acres Sacramento County) details part 6

Assessment Year: 2023 **Status:** Incomplete

Criteria 5d: Intervention

Evaluation: No Score

If five or more questions listed are answered 'Yes' (excluding BP-04) then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-16 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	Yes
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	Yes
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	No Answer
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	No Answer
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	Yes
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	No Answer
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	Yes
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	Yes

California Almond Stewardship Platform (CASP) Bee Friendly Farming Report

Administrator admin@jvfconsulting.com

Business Name: **AA | TEST production** Business Unit Name: **AAATEST production**

Orchard 3 (123 Acres Sacramento County) details part 7

Assessment Year: **2023** Status: **Incomplete**

Criteria 5e: IPM Evaluation

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	No Answer
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	No
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	No
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	No
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	No

Criteria 5f: Resistance Management

Evaluation: No Score

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	No
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	Not applicable
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Yes