

This confidential report was prepared for:

Name: Jason Erickson Business: Erickson Farms


Email: jason@tep-ag.com Assessment Year: 2020

Address: CA Phone: (559) 871-0663

Full confidentiality is maintained for all information provided and generated this report. Individual assessment results have not been shared with other individuals or organizations.

- 1. Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.
- 2. Provide bloom of different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.
- 3. If not inhibited by government mandated water restrictions, offer clean water for bees.
- 4. Provide habitat for nesting through features such as hedgerows, natural brush, buffer strips, or bare ground.
- 5. Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Go to https://www.pollinator.org/bff/bff-us to learn more or choose Apply for BFF Certification to fill out the application. On the application page, attach the PDF report from Step 1 in the "About You" section for "Existing Audit Files" (see example below).



In Confirmation and Payment enter the coupon code CASP2021. This coupon is provided by the Almond Board and will waive your certification fee for the first year.



# Summary

Location	Acres	Eligibility Status	BFF 1	BFF 2	BFF 3	BFF 4	BFF 5
7 AC	6	Eligible	Yes	Yes	Yes	Yes	Yes
Adobe	55	Eligible	Yes	Yes	Yes	Yes	Yes
Arellano	70	Eligible	Yes	Yes	Yes	Yes	Yes
Baker Old	58	Eligible	Yes	Yes	Yes	Yes	Yes
Baker Young	35	Eligible	Yes	Yes	Yes	Yes	Yes
Block 1	36	Eligible	Yes	Yes	Yes	Yes	Yes
Block 2	76	Eligible	Yes	Yes	Yes	Yes	Yes
Fish/Cab	35	Eligible	Yes	Yes	Yes	Yes	Yes
Fisher 1	10	Eligible	Yes	Yes	Yes	Yes	Yes
Fisher 3	13	Eligible	Yes	Yes	Yes	Yes	Yes
Foust N	36	Eligible	Yes	Yes	Yes	Yes	Yes
Foust S	36	Eligible	Yes	Yes	Yes	Yes	Yes
Freeman 1	25	Eligible	Yes	Yes	Yes	Yes	Yes
Freeman 2	40	Eligible	Yes	Yes	Yes	Yes	Yes
Freeman 6	40	Eligible	Yes	Yes	Yes	Yes	Yes
Home 1	18	Eligible	Yes	Yes	Yes	Yes	Yes
Home 2	20	Eligible	Yes	Yes	Yes	Yes	Yes
Jessen	38	Eligible	Yes	Yes	Yes	Yes	Yes
Kewal	38	Eligible	Yes	Yes	Yes	Yes	Yes
LaMa 1	40	Eligible	Yes	Yes	Yes	Yes	Yes
LaMa 2	50	Eligible	Yes	Yes	Yes	Yes	Yes
LaMa 3	20	Eligible	Yes	Yes	Yes	Yes	Yes
Lower Odonnell	38	Eligible	Yes	Yes	Yes	Yes	Yes
Pomona	135	Eligible	Yes	Yes	Yes	Yes	Yes
Tom	17	Eligible	Yes	Yes	Yes	Yes	Yes
Turini BP	36	Eligible	Yes	Yes	Yes	Yes	Yes
Turini NP	36	Eligible	Yes	Yes	Yes	Yes	Yes
Upper Odonnell	38	Eligible	Yes	Yes	Yes	Yes	Yes
VanVleet	12	Eligible	Yes	Yes	Yes	Yes	Yes
Vista	36	Eligible	Yes	Yes	Yes	Yes	Yes
Weber	35	Eligible	Yes	Yes	Yes	Yes	Yes
Sum of Eligible Acres	1178						

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

**7 AC (6 Acres Madera County)** details part 1 Assessment Year: **2020** Status: **Eligible** 

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

# Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

7 AC (6 Acres Madera County) details part 2 Assessment Year: 2020 Status: Eligible

# Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Adobe (55 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

#### Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. **Evaluation: Yes**

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Adobe (55 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

## Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Jason Erickson

Arellano (70 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

# Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Jason Erickson

Arellano (70 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

## Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Baker Old (58 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

# Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Baker Old (58 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Baker Young (35 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

# Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Baker Young (35 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Gilbert Housley

Block 1 (36 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

# Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Gilbert Housley

Block 1 (36 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

## Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Gilbert Housley

Block 2 (76 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

#### Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. **Evaluation: Yes**

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Gilbert Housley

Block 2 (76 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

## Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Fish/Cab (35 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

# Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Fish/Cab (35 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

## Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Joanne Erickson

Fisher 1 (10 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

# Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Joanne Erickson

Fisher 1 (10 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

## Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Fisher 3 (13 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

# Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Fisher 3 (13 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

## Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Foust N (36 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

# Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Foust N (36 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Foust S (36 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom. Evaluation: Yes

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

## Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Foust S (36 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Freeman 1 (25 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

## Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

## Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Freeman 1 (25 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Freeman 2 (40 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

#### Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

#### Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. **Evaluation: Yes**

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Freeman 2 (40 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Freeman 6 (40 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom. Evaluation: Yes

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

## Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Freeman 6 (40 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Joanne Erickson

Home 1 (18 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

## Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

## Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Joanne Erickson

Home 1 (18 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Joanne Erickson

Home 2 (20 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

## Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

## Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Joanne Erickson

Home 2 (20 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Stephen L Erickson

Jessen (38 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

## Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

## Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Stephen L Erickson

Jessen (38 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Kewal (38 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

## Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

## Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Kewal (38 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Leo La Mattina

LaMa 1 (40 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

## Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

## Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Leo La Mattina

LaMa 1 (40 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Leo La Mattina

LaMa 2 (50 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

## Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

## Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Leo La Mattina

LaMa 2 (50 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Leo La Mattina

LaMa 3 (20 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom. Evaluation: Yes

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

## Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Leo La Mattina

LaMa 3 (20 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Lower Odonnell (38 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

#### Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom. **Evaluation: Yes**

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

#### Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. **Evaluation: Yes**

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Lower Odonnell (38 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Pomona (135 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

#### Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

#### Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. **Evaluation: Yes**

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Pomona (135 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

**Tom (17 Acres Madera County)** details part 1 Assessment Year: **2020** Status: **Eligible** 

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

### Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Tom (17 Acres Madera County) details part 2 Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Turini BP (36 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

## Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

### Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Turini BP (36 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Turini NP (36 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

### Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Turini NP (36 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Upper Odonnell (38 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom. Evaluation: Yes

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

### Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Upper Odonnell (38 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

VanVleet (12 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

### Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

VanVleet (12 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Vista (36 Acres Madera County) details part 1 Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

### Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Vista (36 Acres Madera County) details part 2 Assessment Year: 2020 Status: Eligible

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Weber (35 Acres Madera County) details part 1

Assessment Year: 2020 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3%\* of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question 49 on cover cropping for pollinators must be "Yes" to meet BFF 1 (3% land requirement).

BFF #1 is automatically calculated in CASP depending on presence of cover crop in your orchard. However, permanent vegetation and/or cover crop grown next to your orchard might also qualify if they are greater than 3% of your land size. If your farm meets all other BFF criteria AND you think you may still qualify for BFF #1, please contact Miles Dakin at Pollinator Partnership (miles@pollinator.org) to help determine your certification eligibility.

CASP Bee Health and Pollination Module Questions	Response
47. Cover crop (resident ground cover or planted) was intentionally grown between orchard rows.	Yes
48. The ground cover was a planted cover crop.	Yes
49. The cover crop was recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers).	Yes

# Criteria 2: Provide bloom Of different flowering plants throughout the growing season, especially in early spring And late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question 45 on hedgerows Or question 46 on adjacent vegetation must be yes to meet BFF 2 (bloom requirement).

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

### Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question 09 on available water and 27 (if applicable) must be yes to meet BFF 3 (clean water for bees).

CASP Bee Health and Pollination Module Questions	Response
09. Abundant potable water, free from contamination, was provided for bees.	Yes
27. Water sources for pollinator bees were covered before or replaced after pesticide applications.	Not applicable

CASP Bee Health and Pollination Module Questions	Response
45. Hedgerows of flowering shrubs, such as coyote brush, were maintained along at least some edges of the farm or facility to provide alternative nutrition sources for managed and native pollinators and pest natural enemies.	Yes
46. Vegetation was maintained on or adjacent to the farm or facility that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover).	Yes

Jason Erickson jason@tep-ag.com

Business Name: Erickson Farms Business Unit Name: Erickson Farms

Weber (35 Acres Madera County) details part 2

Assessment Year: 2020 Status: Eligible

#### Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

CASP Bee Health and Pollination Module Questions	Response
12. Arrangements were made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present; if an application(s) was necessary, the beekeeper was provided with 48-hour advance notice.	Not applicable
13. Which, and when during the day, pesticides could be applied while hives were present were communicated to the person responsible for pesticide recommendations, as well as the applicator.	Yes
15. The orchard was monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season. (Note: diseases should be monitored weekly during bloom and spring.)	Yes
18. Scouting data, university guidelines and practical experience were used to design and implement management strategies for insects, mites and diseases.	Yes
21. To determine necessary fungicides, rates and timings, disease symptoms were monitored weekly prior to and during bloom, and throughout spring, until weather was no longer conducive for disease development.	Yes
23. Pesticides were not used during bloom that had label cautions "highly toxic to bees", "toxic to bees," "residual times" or "extended residual toxicity."	Yes
25. During bloom, necessary fungicides (or Bacillus thuringiensis) were applied in the late afternoon or evening when bees and pollen were not present.	Yes
30. If effective alternatives existed, broad-spectrum insecticides and acaricides, such as pyrethroids, organophosphates and carbamates, were not used because of their potential negative effects on beneficial and nontarget organisms.	Yes
34. Air blast and/or aerial applications only occurred when winds were between 2 and 8 mph (minimizes drift from inversions and wind).	Yes
43. Spraying near waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat) was discontinued when winds blew in the direction of these sites.	Yes
44. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), the two rows directly adjacent to these sites were sprayed on the outer side only (i.e., to direct spray into the orchard).	Yes