This confidential report was prepared for:

Name: Mel Machado

Business: Mel and Pam Machado Address: 10806 Eaton Rd, CA 95361

Phone: (209) 531-6352

Email: mmachado1957@gmail.com

Assessment Year: 2023

Follow these steps to apply for Bee Friendly Farming certification through Pollinator Partnership.

#### Step 1. Generate and save this PDF report from CASP.

#### Step 2. Open the **BFF Application** and follow the steps.

The online application is managed by Pollinator Partnership and requires completion of the following sections:

Create an Account
About Your Farm
Bee Forage and Habitat
Confirmation & Payment

OR CONTINUE AN EXISTING APPLICATION

CREATE AN ACCOUNT TO BEGIN

#### - Create an account:

Name, Email, and Password.

#### - About Your Farm:

Farm name, Phone number, Set Primary Production to Almonds, Total Farm and cropped acreage, physical address, and mailing addresses. Under

mailing addresses. Under
Existing Certifications, choose
California Almond Stewardship Platform and browse to upload this PDF.

#### - Bee Forage and Habitat

**Upload Pictures:** Bee Forage, Water Source, Nesting Habitat.

**Enter Acreage:** Permanent and Total Habitat.

**Upload Farm map:** Upload a farm map file (PNG, PDF, shapefiles, KML/KMZ, etc.) that shows a clearly defined property line of the area being certified and draw and label each ecological infrastructure (temporary floral resources, permanent floral resources nesting habitat, water sources). Include acre counts for each delineated area. If you use the <u>CASP Map Center</u>, you can use that to print a PDF.



#### - Confirmation and Payment

How you heard about BFF
Check the Confirmations
Optionally enter an Invoice or Coupon Codes
Set invoicing preference.

#### **Submit the Application**

#### **Bee Friendly Farming Certification has five requirements:**

- 1. Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.
- 2. Provide bloom of different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.
- 3. If not inhibited by government mandated water restrictions, offer clean water for bees.
- 4. Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips.
- 5. Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

Full confidentiality is maintained for all information provided and generated this report. Individual assessment results have not been shared with other individuals or organizations.

Go to <a href="https://www.pollinator.org/bff/bff-us">https://www.pollinator.org/bff/bff-us</a> to find out more about Pollinator Partnership.

This report shows your eligibility for Bee Friendly Farming based on CASP, however, Pollinator Partnership makes a final determination after the application is evaluated.

#### Summary

Location	Acres	Eligibility Status	BFF 1	BFF 2	BFF 3	BFF 4	BFF 5
Home	18	Eligible	Yes	Yes	Yes	Yes	Yes
Sum of Eligible Acres	18						

Mel Machado mmachado1957@gmail.com

Business Name: Mel and Pam Machado Business Unit Name: Mel and Pam Machado

Home (18 Acres Stanislaus County) details part 1

Assessment Year: 2023 Status: Eligible

Criteria 1: Offer forage providing good nutrition for bees on at least 3% of land. Forage can be temporary, including crops and cover crops.

**Evaluation: Yes** 

Question NS-30 regarding in orchard cover cropping or question BP-27 regarding adjacent vegetation/hedgerows or must be 'Yes' to meet BFF 1 (3% forage requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	No
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes
BP-25. Have natural habitat areas or set aside plantings with flowering plants and/or nesting habitat for managed and native pollinators been established or maintained in unfarmed areas on or within 2 miles of the orchard?	Yes
BP-26. Has cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers) been planted in an adjacent, neighboring field within 2 miles of the orchard?	No
BP-27. Was the combined acreage of hedgerows and other vegetation types, such as natural habitat areas, set aside plantings, and/or adjacent cover crops, equivalent to at least 3% of the orchard planted area?	Yes
NS-28. Was a cover crop (pre-existing or planted ground cover) intentionally grown between orchard rows?	Yes
NS-29. Was the ground cover purposely planted?	Yes
NS-30. Was the cover crop recommended for providing forage to pollinators (e.g., mustards, clovers, vetch and/or wildflowers)?	Yes

Mel Machado mmachado1957@gmail.com

Business Name: Mel and Pam Machado Business Unit Name: Mel and Pam Machado

Home (18 Acres Stanislaus County) details part 2

Assessment Year: 2023 Status: Eligible

Criteria 2: Provide bloom from different flowering plants throughout the growing season, especially in early spring and late autumn. There is no minimum land coverage for seasonal bloom.

**Evaluation: Yes** 

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 2 (bloom requirement)

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	No
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

## Criteria 3: If not inhibited by government mandated water restrictions, offer clean water for bees. Evaluation: Yes

Question BP-18 regarding available water and question BP-19 (if applicable) must be 'Yes' to meet BFF 3 (clean water for bees).

CASP Questions	Response
BP-18. Was abundant potable water, free from contamination, provided for bees?	Yes
BP-19. Were water sources for pollinator bees covered before or replaced after pesticide applications?	Yes

## Criteria 4: Provide habitat for nesting through features such as hedgerows, natural brush, or buffer strips. Evaluation: Yes

Question BP-23 on hedgerows or question BP-24 on adjacent vegetation must be 'Yes' to meet BFF 4 (habitat requirement).

CASP Questions	Response
BP-23. Were hedgerows of flowering shrubs, such as coyote brush, maintained along at least some edges of the farm to provide alternative nutrition sources for managed and native pollinators and pest natural enemies?	No
BP-24. Was vegetation maintained on or adjacent to the farm that provided pollen and nectar sources for pollinator bees before and/or after almond bloom (includes nutritional ground cover)?	Yes

Mel Machado mmachado1957@gmail.com

Business Name: Mel and Pam Machado Business Unit Name: Mel and Pam Machado

Home (18 Acres Stanislaus County) details part 3

Assessment Year: 2023 Status: Eligible

Criteria 5: Practice Integrated Pest Management (IPM); reduce or eliminate the use of chemicals.

**Evaluation: Yes** 

The Bee Friendly Farming IPM requirement is evaluated using 5 IPM areas and 34 unique CASP questions. Each area is evaluated separately and all IPM areas must be yes to meet BFF 5 (practice IPM; reduce or eliminate the use of chemicals.

Criteria 5a: Monitoring/Identification

**Evaluation: Yes** 

If one or more of the CASP questions PM-13, PM-78, or PM-84 is answered as 'Yes,' then 5a, the IPM monitoring/identification requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	Yes
PM-13. Were scouting data, university guidelines, and practical experience used to design and implement management strategies for insects, mites, and diseases?	Yes
PM-78. To determine necessary fungicides, rates and timings, were disease symptoms monitored weekly prior to and during bloom, throughout spring, and until the weather was no longer conducive for disease development?	Yes
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	Yes

Mel Machado mmachado1957@gmail.com

Business Name: Mel and Pam Machado Business Unit Name: Mel and Pam Machado

Home (18 Acres Stanislaus County) details part 4

Assessment Year: 2023 Status: Eligible

Criteria 5b: Decision Making

**Evaluation: Yes** 

If one or more of CASP questions PM-49, PM-51, PM-54, PM-56, PM-57, PM-64 or PM-86 is answered as 'Yes' then 5b, the IPM decision making requirement is met.

(If nothing was sprayed or required monitoring, demonstrated by responding 'No' to CASP questions PM-47, PM-53, PM-55, PM-62 and PM-84 then 5b could also be met.)

CASP Questions	Response
PM-47. Was navel orangeworm (NOW) sprayed in the past year?	Yes
PM-49. Spring spray timing for NOW was based on egg traps and degree-day calculations.	Yes
PM-51. Hullsplit spray timing for NOW was based on egg traps and degree-day calculations.	Yes
PM-53. Was San Jose Scale (SJS) sprayed in the past year?	No
PM-54. Was San Jose Scale (SJS) monitored using pheromone traps and degree-day calculations?	No Answer
PM-55. Was Peach Twig Borer (PTB) sprayed in the past year (dormant, bloom or spring sprays)?	No
PM-56. Did shoot strike monitoring being in April to determine if the number of strikes reached a treatment threshold? (The threshold is generally four or more strikes per tree for mature orchards; threshold should be lower for second- and third-leaf orchards.)	No Answer
PM-57. Was Peach Twig Borer (PTB) monitored using pheromone traps and degree-day calculations?	No Answer
PM-62. Were mites sprayed in the past year?	No
PM-64. Were miticides only applied after mite populations exceeded an established threshold of 25 percent of leaves infested (if there were no natural enemies), or 40 percent of leaves infested (if natural enemies were present)?	No Answer
PM-84. Were weeds monitored at least twice a year and was monitoring information used for management decisions? Preferably, monitoring would occur during the fall after harvest and first rains (for winter annuals and perennials) and during late spring (summer annuals and perennials).	Yes
PM-86. Did monitoring records include growth stages (seedling or mature) and potential herbicide resistance issues?	Yes

Mel Machado mmachado1957@gmail.com

Business Name: Mel and Pam Machado Business Unit Name: Mel and Pam Machado

Home (18 Acres Stanislaus County) details part 5

Assessment Year: 2023 Status: Eligible

Criteria 5c: Prevention

**Evaluation: Yes** 

If two or more questions listed are answered 'Yes' then 5c, the IPM prevention requirement is met. (If all questions are 'Not Applicable,' then 5c could also be met.)

CASP Questions	Response
PM-42. To reduce outbreaks of NOW, were mummy nuts counted and removed, as needed, during the winter, so that less than two mummies per tree remained by February 1? (For the southern San Joaquin Valley and any almond orchard within 3 miles of pistachio orchards, this rate must be less than one mummy nut per tree).	Yes
PM-43. By March 1, were all mummy nuts on the ground destroyed (e.g., by mowing or discing)?	Yes
PM-45. Was a mating disruption program for navel orangeworm (NOW) used for this orchard?	No
PM-58. To reduce outbreaks of mites, was dust reduced on orchard roadways (e.g., via dust suppressants, oiling, watering, mulching, vegetative cover and/or driving slowly)?	Yes
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Yes

Mel Machado mmachado1957@gmail.com

Business Name: Mel and Pam Machado Business Unit Name: Mel and Pam Machado

Home (18 Acres Stanislaus County) details part 6

Assessment Year: 2023 Status: Eligible

Criteria 5d: Intervention

**Evaluation: Yes** 

If five or more questions listed are answered 'Yes' then 5d, the IPM prevention requirement is met. (If all questions listed are 'Not Applicable' and question BP-15 is 'Yes' then 5d could also be met.)

CASP Questions	Response
BP-11. Were arrangements made with the beekeeper about which pesticides could be applied if daytime applications were necessary while hives were present, and, if an application(s) was necessary, was the beekeeper provided with 48-hour advance notice?	Yes
BP-12. Was notification given to the person responsible for pesticide recommendations, as well as the applicator, which and when during the day, pesticides could be applied while hives were present?	Yes
BP-15. Did the operation ensure that pesticides with label cautions "highly toxic to bees," "toxic to bees," "residual times," or "extended residual toxicity" were not used during bloom?	Yes
BP-17. During bloom, were necessary fungicides (or Bacillus thuringiensis) applied in the late afternoon or evening when bees and pollen were not present?	Yes
PM-06. If effective alternatives existed, were broad-spectrum insecticides and acaricides (e.g., pyrethroids, organophosphates and carbamates), not used because of their potential negative effects on beneficial and non-target organisms?	Yes
PM-22. To minimize drift from inversions and wind, were air blast and/or aerial applications made only when winds were between 2 and 8 mph?	Yes
PM-36. Was spraying discontinued when winds blew in the direction of nearby waterways (e.g., creeks or irrigation canals) or other sensitive sites (e.g., residences, schools, pollinator and pest natural enemy habitat)?	Not applicable
PM-37. When operating air blast sprayers next to open or sensitive sites (e.g., aquatic areas, residences, schools, pollinator and pest natural enemy habitat), were the two rows directly adjacent to these sites sprayed on the outer side only (i.e., to direct spray into the orchard)?	Not applicable

Mel Machado mmachado1957@gmail.com

Business Name: Mel and Pam Machado Business Unit Name: Mel and Pam Machado

Home (18 Acres Stanislaus County) details part 7

Assessment Year: 2023 Status: Eligible

Criteria 5e: IPM Evaluation

**Evaluation: Yes** 

If one or more questions listed are answered 'Yes' then 5e, the IPM evaluation requirement is met.

CASP Questions	Response
PM-10. Was the orchard monitored by a licensed PCA for insects, mites, diseases and pest natural enemies (i.e., beneficials) at least once every two weeks during the growing season? (Diseases should be monitored weekly during bloom and spring.)	Yes
PM-11. Were written or electronic scouting reports kept by or provided to the farm owner or staff to inform decision making?	Yes
PM-12. Was a year-end review of pest levels and trends completed to improve future decision-making?	Yes
PM-14. Were scouting efforts continued after the use of each pest control tactic to verify efficacy and/or resistance issues?	Yes
PM-16. At harvest, did farm staff or a PCA sample and analyze the nuts for types of nut rejects to determine the pest(s) causing the damage, the efficacy of the year's pest management program, and the plan for the next year?	Yes

#### **Criteria 5f: Resistance Management**

**Evaluation: Yes** 

If one or more questions listed are answered 'Yes' then 5f, the IPM resistance management requirement is met. (If all questions are 'Not Applicable,' then 5f could also be met.)

CASP Questions	Response
PM-08. In addition to following required practices on product labels, were mode-of-action group numbers for insecticides and acaricides (on labels or in UC Pest Management Guidelines) recorded and used to guide pesticide rotation/resistance decisions?	Yes
PM-80. In addition to required practices on product labels, was the most recent fungicide efficacy and resistance management information reviewed (e.g., UC Fungicide Efficacy and Treatment Timing tables) to guide active ingredient rotation/resistance management decisions?	Yes
PM-89. Was an integrated weed management strategy developed (e.g., involving multiple control tactics, and rotation of herbicides with different modes of action) that considered monitoring results, past treatments, herbicide resistance, regulations and physical characteristics of the orchard, and surrounding sensitive areas?	Yes